



confidence to be me the Participate project

eMen & USI Student Mental Health Seminar | 18 June 2019

Éamonn Ó Dochartaigh

Participate Education Services Teoranta

TU Dublin



Participant Challenge

You will be randomly assigned to one of the following challenges

A Explain your HEI's policy on mental health in 3 minutes to workshop

B Tell funny stories to the group for 3 minutes

C Sing a rock song for 3 minutes with air-guitar accompaniment

a fear of being judged

social anxiety



social anxiety | types

generalised:

anxiety in most social interactions

performance only:

anxiety confined to particular situations

e.g. public speaking



social anxiety | prevalence estimates

general population: 7% (Europe and US)

HE students: about 10 %

- higher if include 'subthreshold' (still significantly impaired)



social anxiety | direct effects


- poorer learning outcomes
- lower attendance
- reduced participation
- increased likelihood of dropout
- difficulty with public speaking, communicating
- career underperformance
- pathway to depression, substance misuse



social anxiety | precursor effects

- median age of onset 13 years
- 3.5 relative-odds depression within 3-4 years
- 6.1 relative-odds suicide attempt within 3-4 years
- early intervention would prevent 22% drug dependence
- predicts teenage pregnancy & domestic violence
- majority never get professional help or delay (~15y)
- low rate of recovery (37% after 12 years after intake)

FIGURE 1. 12-Year Cumulative Probability of Recovery in Patients With Anxiety Disorders and Patients With Comorbid Major Depressive Disorder at Intake



Bruce, S. E., Yonkers, K. A., Otto, M. W., Eisen, J. L., Weisberg, R. B., Pagano, M., ... Keller, M. B. (2005). Influence of Psychiatric Comorbidity on Recovery and Recurrence in Generalized Anxiety Disorder, Social Phobia, and Panic Disorder: A 12-Year Prospective Study. *American Journal of Psychiatry*, 162(6), 1179–1187



scale | cost of action

The most effective treatment is the cognitive-behavioural therapy devised by Clark & Wells*

Specific knowledge and skills required

Cost of a no-tech solution

= training and skill consolidation

= 1-1 sessions x 12

*Mayo-Wilson, E., Dias, S., Mavranezouli, I., Kew, K., Clark, D. M., Ades, A. E., & Pilling, S. (2014). Psychological and pharmacological interventions for social anxiety disorder in adults: A systematic review and network meta-analysis. *The Lancet Psychiatry*, 1(5), 368–376. https://doi.org/10.1016/S2215-0366(14)70329-3



scale | cost of inaction

Direct cost of non-progression to HEI ... €8000 per student?

Cost to the economy of ineffective educational outcomes?

Cost to the individual and family of lost opportunities?

Cost of additional health interventions?



social anxiety | the education context

education is a social endeavour social engagement central to retention and progression graduate attributes

- ability to communicate ideas one-to-one
- work in teams
- present to an audience



Participate programme | concept

Brief

Easily accessible

Best practice

Effective

Cost-effective

Safe

Scalable

Early intervention



Participate programme | development

- Pilot version 2013 (Participate 1.0)
 NUI Galway
- Revised version 2014 (Participate 2.0)
 NUI Galway, DIT and University of West Scotland randomised controlled trial (RCT)



Participate | impact

NUI Galway	n	effect size
completed intro plus 3 or more modules	57	-1.35
completed all 6 modules	28	-1.44

ALL 3 COLLEGES	n	effect size
waiting-list control ³	62	-0.42



Participate | impact

Brief:

 big drop in social anxiety score after circa 90 minutes online (intro, application & 3 modules)

Effective:

- cost-effective
- social anxiety $\sqrt{38\%}$ for just 3+ modules (n=57)

 [effect size 1.4 for 3+ modules]



Participate | adherence

60% 3 modules plus

23% all 6 modules



Participate | follow-up survey

Follow-up after

7 months (n=19)

11 months (n=57)

18 months (n=12)

21 months (n=40)

Result

The drop in social anxiety scores was maintained at every time interval




Participate 2.0 wider dissemination

- ☐ Participate 2.0 currently used by 9 Irish HEIs
- not-for-profit, meeting direct costs only
- ongoing development of content and implementation
- ☐ variety of modes:
 - self-directed
 - supported (by counsellors or specially-trained, supervised psychology graduates)
 - as adjunct to face-to-face therapy



Participate 3.0 | in academic modules?

- ☐ integrate programme with taught modules
- pilot studies have been carried out





Participate | partners?

eamonn.odochartaigh@dit.ie

or

eamonn.cbt@gmail.com